

Hazardous Site Cleanup Division (HSCD) Weekly Brief Report
Week Ending April 20, 2018

Link to HSCD salient database search: [[HYPERLINK](http://r3web2.r03.epa.gov/hscd/index.cfm)
"http://r3web2.r03.epa.gov/hscd/index.cfm"]

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Update on Blades Groundwater Contamination Site, Blades, Delaware – Region 3 continues to coordinate and conduct sampling of residential wells near the per- and polyfluoroalkyl substances (PFAS)-contaminated groundwater that has affected the water supply within the Town of Blades. Thus far, 55 residents have requested sampling. Region 3 also re-sampled homes for which the State of Delaware had provided carbon filter units. Results should be back within the next two weeks. Additionally, the Region is initiating a Site Inspection assessment surrounding two facilities and the residential areas impacted by PFAS, as well as electroplating fluids. (C. O’Loughlin, 4-3304; E. Rovira, 4-3436; Chase, 4-3124)

Nonresponsive based on revised scope

Nonresponsive based on revised scope

View [[HYPERLINK "https://usepa-my.sharepoint.com/:x:/r/personal/koffi_laronda_epa_gov/Documents/HSCD%20Calendar%20of%20Activities/HSCD%20Calendar%202018.xlsx?d=wfce870ef7c944572aa943cb590ca32c2&csf=1&e=dZNgxC"](https://usepa-my.sharepoint.com/:x:/r/personal/koffi_laronda_epa_gov/Documents/HSCD%20Calendar%20of%20Activities/HSCD%20Calendar%202018.xlsx?d=wfce870ef7c944572aa943cb590ca32c2&csf=1&e=dZNgxC)]